



## Addendum #1

*date* May 31, 2016

*project* Fairview Park Parking Expansion  
Orange County  
Hillsborough, North Carolina

*cra project #* 1514

---

MODIFICATIONS TO THE CONTRACT DOCUMENTS FOR THE ABOVE-NAMED PROJECT SHALL BE MADE AS DESCRIBED BELOW AND SHALL BE INCLUDED IN THE BID AMOUNTS.

A. **PRE-BID CONFERENCE**

The Pre-Bid Conference was held at 3:00 pm , Friday, May 20,2016 at Fairview Park, Hillsborough, North Carolina. The minutes from this meeting are attached.

B. **SPECIFICATIONS**

1. **Section 329300 – Exterior plants:** add section 2.2 Sod to the specification section as follows:

2.2 SOD

- A. Sod: Sod shall be two years old minimum, free of weeds, insects, and other grasses, fresh, moist, and from a certified sand based sod farm. The species is listed below.

Provide sod of uniform pad sizes with maximum 5% deviation in entire length or width, broken pads or pads with uneven ends will not be acceptable. Sod pads incapable of supporting their own weight when suspended vertically with a firm grasp on upper 10% of pad will be rejected.

1. Fescue- Blend of three drought resistant variety, Rebel, Rebel II Falcon, Jaguar.

2. Identify sod source: Include name, address and telephone number of supplier that complies with TPI's "Specifications for Turfgrass Sod materials" in it's "Guideline Specifications to Turfgrass Sodding". Furnish viable sod of uniform density, color, and texture: strongly rooted and capable of vigorous growth and development when planted.

3. Sod of grass with not less than 95% germination, not less than 98% pure seed and not more than 0.5% weed seed.



4. Sod shall have prior approval by Owner/Owners's Representative. Sod shall be fresh cut and delivered and installed within 48 hours, and consist of live growing plants secured from sources where the soil is fertile and shall have a healthy, virile root system of dense, thickly matted roots throughout the soil of the sod for a minimum of one inch. Sod shall be free of noxious weeds or other grasses and shall not contain any matter deleterious to growth or which might affect its substance or hardiness when transplanted.

5. See landscape plan for limits of sod. The limits include the surface area of the bioretention cell.

C. **DRAWINGS**

1. **Sheet C3.0-Grading and Storm Drainage Plan:** Add the attached Storm Schedule to the Grading and Storm Drainage plan.
2. **Sheet C5.0-Details:** Detail 11 for the bioretention cells shall be changed so that the 4" underdrain pipes shown are revised to be schedule 40 with perforated holes.
3. **Sheet L1.0-Landscape Plan:** For the base bid, provide fescue sod for the surface area of the bioretention cell. The sod must be free of clay materials.

**END OF ADDENDUM**

Attachments:

Specification Section 329300 revised (Addendum #1)

Storm Schedule

Pre bid meeting minutes

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

SECTION 329300 - EXTERIOR PLANTS-addendum 1

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

A. Section Includes:

1. Plants.
2. Planting soils.
3. Tree stabilization.
4. Landscape edgings.

B. Related Sections:

1. Division 31 "Site Clearing" for protection of existing trees and plantings, topsoil stripping and stockpiling, and site clearing.
2. Division 31 "Earthwork" for excavation, filling, and rough grading and for subsurface aggregate drainage and drainage backfill materials.

1.3 DEFINITIONS

- A. Backfill: The earth used to replace or the act of replacing earth in an excavation.
- B. Balled and Burlapped Stock: Plants dug with firm, natural balls of earth in which they were grown, with ball size not less than sizes indicated wrapped with burlap, tied, rigidly supported, and drum laced with twine with the root flare visible at the surface of the ball as recommended by ANSI Z60.1.
- C. Balled and Potted Stock: Plants dug with firm, natural balls of earth in which they are grown and placed, unbroken, in a container. Ball size is not less than sizes indicated.
- D. Bare-Root Stock: Plants with a well-branched, fibrous-root system developed by transplanting or root pruning, with soil or growing medium removed, and with not less than minimum root spread according to ANSI Z60.1 for type and size of plant required.
- E. Container-Grown Stock: Healthy, vigorous, well-rooted plants grown in a container, with a well-established root system reaching sides of container and maintaining a firm ball when removed from container. Container shall be rigid enough to hold ball shape and protect root mass during shipping and be sized according to ANSI Z60.1 for type and size of plant required.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

- F. Duff Layer: The surface layer of native topsoil that is composed of mostly decayed leaves, twigs, and detritus.
- G. Fabric Bag-Grown Stock: Healthy, vigorous, well-rooted plants established and grown in-ground in a porous fabric bag with well-established root system reaching sides of fabric bag. Fabric bag size is not less than diameter, depth, and volume required by ANSI Z60.1 for type and size of plant.
- H. Finish Grade: Elevation of finished surface of planting soil.
- I. Manufactured Topsoil: Soil produced off-site by homogeneously blending mineral soils or sand with stabilized organic soil amendments to produce topsoil or planting soil.
- J. Pesticide: A substance or mixture intended for preventing, destroying, repelling, or mitigating a pest. This includes insecticides, miticides, herbicides, fungicides, rodenticides, and molluscicides. It also includes substances or mixtures intended for use as a plant regulator, defoliant, or desiccant.
- K. Pests: Living organisms that occur where they are not desired, or that cause damage to plants, animals, or people. These include insects, mites, grubs, mollusks (snails and slugs), rodents (gophers, moles, and mice), unwanted plants (weeds), fungi, bacteria, and viruses.
- L. Planting Area: Areas to be planted.
- M. Planting Soil: Standardized topsoil; existing, native surface topsoil; existing, in-place surface soil; imported topsoil; or manufactured topsoil that is modified with soil amendments and perhaps fertilizers to produce a soil mixture best for plant growth.
- N. Plant; Plants; Plant Material: These terms refer to vegetation in general, including trees, shrubs, vines, ground covers, ornamental grasses, bulbs, corms, tubers, or herbaceous vegetation.
- O. Root Flare: Also called "trunk flare." The area at the base of the plant's stem or trunk where the stem or trunk broadens to form roots; the area of transition between the root system and the stem or trunk.
- P. Stem Girdling Roots: Roots that encircle the stems (trunks) of trees below the soil surface.
- Q. Subgrade: Surface or elevation of subsoil remaining after excavation is complete, or the top surface of a fill or backfill before planting soil is placed.
- R. Subsoil: All soil beneath the topsoil layer of the soil profile, and typified by the lack of organic matter and soil organisms.
- S. Surface Soil: Soil that is present at the top layer of the existing soil profile at the Project site. In undisturbed areas, the surface soil is typically topsoil; but in disturbed areas such as urban environments, the surface soil can be subsoil.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

1.4 QUALITY ASSURANCE

- A. Installer Qualifications: A qualified landscape Installer whose work has resulted in successful establishment of plants.

1.5 DELIVERY, STORAGE, AND HANDLING

- A. Packaged Materials: Deliver packaged materials in original, unopened containers showing weight, certified analysis, name and address of manufacturer, and indication of conformance with state and federal laws if applicable.
- B. Bulk Materials:
1. Do not dump or store bulk materials near structures, utilities, walkways and pavements, or on existing turf areas or plants.
  2. Provide erosion-control measures to prevent erosion or displacement of bulk materials, discharge of soil-bearing water runoff, and airborne dust reaching adjacent properties, water conveyance systems, or walkways.
  3. Accompany each delivery of bulk fertilizers[, **lime,**] and soil amendments with appropriate certificates.
- C. Deliver bare-root stock plants freshly dug. Immediately after digging up bare-root stock, pack root system in wet straw, hay, or other suitable material to keep root system moist until planting.
- D. Do not prune trees and shrubs before delivery. Protect bark, branches, and root systems from sun scald, drying, wind burn, sweating, whipping, and other handling and tying damage. Do not bend or bind-tie trees or shrubs in such a manner as to destroy their natural shape. Provide protective covering of plants during shipping and delivery. Do not drop plants during delivery and handling.
- E. Handle planting stock by root ball.
- F. Store bulbs, corms, and tubers in a dry place at **60 to 65 deg F** (16 to 18 deg C) until planting.
- G. Deliver plants after preparations for planting have been completed, and install immediately. If planting is delayed more than six hours after delivery, set plants and trees in their appropriate aspect (sun, filtered sun, or shade), protect from weather and mechanical damage, and keep roots moist.
1. Heel-in bare-root stock. Soak roots that are in dry condition in water for two hours. Reject dried-out plants.
  2. Set balled stock on ground and cover ball with soil, peat moss, sawdust, or other acceptable material.
  3. Do not remove container-grown stock from containers before time of planting.
  4. Water root systems of plants stored on-site deeply and thoroughly with a fine-mist spray. Water as often as necessary to maintain root systems in a moist, but not overly-wet condition.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

1.6 WARRANTY

- A. Special Warranty: Installer agrees to repair or replace plantings and accessories that fail in materials, workmanship, or growth within specified warranty period.
1. Failures include, but are not limited to, the following:
    - a. Death and unsatisfactory growth, except for defects resulting from abuse, lack of adequate maintenance, or neglect by Owner, or incidents that are beyond Contractor's control.
    - b. Structural failures including plantings falling or blowing over.
  2. Warranty Periods from Date of Substantial Completion:
    - a. Trees, Shrubs, Vines, and Ornamental Grasses: 12 months.
  3. Include the following remedial actions as a minimum:
    - a. Immediately remove dead plants and replace unless required to plant in the succeeding planting season.
    - b. Replace plants that are more than 25 percent dead or in an unhealthy condition at end of warranty period.
    - c. A limit of one replacement of each plant will be required except for losses or replacements due to failure to comply with requirements.
    - d. Provide extended warranty for period equal to original warranty period, for replaced plant material.

PART 2 - PRODUCTS

2.1 PLANT MATERIAL

- A. General: Furnish nursery-grown plants true to genus, species, variety, cultivar, stem form, shearing, and other features indicated in Plant Schedule or Plant Legend shown on Drawings and complying with ANSI Z60.1; and with healthy root systems developed by transplanting or root pruning. Provide well-shaped, fully branched, healthy, vigorous stock, densely foliated when in leaf and free of disease, pests, eggs, larvae, and defects such as knots, sun scald, injuries, abrasions, and disfigurement.
1. Trees with damaged, crooked, or multiple leaders; tight vertical branches where bark is squeezed between two branches or between branch and trunk ("included bark"); crossing trunks; cut-off limbs more than **3/4 inch** (19 mm) in diameter; or with stem girdling roots will be rejected.
  2. Collected Stock: Do not use plants harvested from the wild, from native stands, from an established landscape planting, or not grown in a nursery unless otherwise indicated.
- B. Provide plants of sizes, grades, and ball or container sizes complying with ANSI Z60.1 for types and form of plants required. Plants of a larger size may be used if acceptable to Architect, with a proportionate increase in size of roots or balls.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

- C. Root-Ball Depth: Furnish trees and shrubs with root balls measured from top of root ball, which shall begin at root flare according to ANSI Z60.1. Root flare shall be visible before planting.

2.2 SOD

- A. Sod: Sod shall be two years old minimum, free of weeds, insects, and other grasses, fresh, moist, and from a certified sand based sod farm. The species is listed below.

Provide sod of uniform pad sizes with maximum 5% deviation in entire length or width, broken pads or pads with uneven ends will not be acceptable. Sod pads incapable of supporting their own weight when suspended vertically with a firm grasp on upper 10% of pad will be rejected.

1. Fescue- Blend of three drought resistant variety, Rebel, Rebel II Falcon, Jaguar.

2. Identify sod source: Include name, address and telephone number of supplier that complies with TPI's "Specifications for Turfgrass Sod materials" in it's "Guideline Specifications to Turfgrass Sodding". Furnish viable sod of uniform density, color, and texture: strongly rooted and capable of vigorous growth and development when planted.

3. Sod of grass with not less than 95% germination, not less than 98% pure seed and not more than 0.5% weed seed.

4. Sod shall have prior approval by Owner/Owners's Representative. Sod shall be fresh cut and delivered and installed within 48 hours, and consist of live growing plants secured from sources where the soil is fertile and shall have a healthy, virile root system of dense, thickly matted roots throughout the soil of the sod for a minimum of one inch. Sod shall be free of noxious weeds or other grasses and shall not contain any matter deleterious to growth or which might affect its substance or hardiness when transplanted.

5. See landscape plan for limits of sod. The limits include the surface area of the bioretention cell.

2.3 ORGANIC SOIL AMENDMENTS

- A. Compost: Well-composted, stable, and weed-free organic matter, pH range of 5.5 to 8; moisture content 35 to 55 percent by weight; not exceeding 0.5 percent inert contaminants and free of substances toxic to plantings; and as follows:

- 1. Organic Matter Content: **50 to 60** percent of dry weight.
- 2. Feedstock: Agricultural, food, or industrial residuals; biosolids; yard trimmings; or source-separated or compostable mixed solid waste.

- B. Sphagnum Peat: Partially decomposed sphagnum peat moss, finely divided or granular texture, with a pH range of 3.4 to 4.8.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

- C. Muck Peat: Partially decomposed moss peat, native peat, or reed-sedge peat, finely divided or of granular texture, with a pH range of 6 to 7.5, and having a water-absorbing capacity of 1100 to 2000 percent.
- D. Manure: Well-rotted, unleached, stable or cattle manure containing not more than 25 percent by volume of straw, sawdust, or other bedding materials; free of toxic substances, stones, sticks, soil, weed seed, debris, and material harmful to plant growth.

2.4 FERTILIZERS

- A. Bonemeal: Commercial, raw or steamed, finely ground; a minimum of [1] [4] percent nitrogen and [10] [20] percent phosphoric acid.
- B. Superphosphate: Commercial, phosphate mixture, soluble; a minimum of 20 percent available phosphoric acid.
- C. Commercial Fertilizer: Commercial-grade complete fertilizer of neutral character, consisting of fast- and slow-release nitrogen, 50 percent derived from natural organic sources of urea formaldehyde, phosphorous, and potassium in the following composition:
  - 1. Composition: 1 lb/1000 sq. ft. (0.45 kg/92.9 sq. m) of actual nitrogen, 4 percent phosphorous, and 2 percent potassium, by weight.
  - 2. Composition: Nitrogen, phosphorous, and potassium in amounts recommended in soil reports from a qualified soil-testing laboratory.
- D. Slow-Release Fertilizer: Granular or pelleted fertilizer consisting of 50 percent water-insoluble nitrogen, phosphorus, and potassium in the following composition:
  - 1. Composition: 20 percent nitrogen, 10 percent phosphorous, and 10 percent potassium, by weight.
  - 2. Composition: Nitrogen, phosphorous, and potassium in amounts recommended in soil reports from a qualified soil-testing laboratory.

2.5 MULCHES

- A. Organic Mulch: Free from deleterious materials and suitable as a top dressing of trees and shrubs, consisting of one of the following:
  - 1. Type: Shredded hardwood.
  - 2. Size Range: 3 inches (76 mm) maximum, 1/2 inch (13 mm) minimum.
  - 3. Color: Natural.
- B. Compost Mulch: Well-composted, stable, and weed-free organic matter, pH range of 5.5 to 8; moisture content 35 to 55 percent by weight; 100 percent passing through 1-inch (25-mm) sieve; soluble salt content of 2 to 5 decisiemens/m; not exceeding 0.5 percent inert contaminants and free of substances toxic to plantings; and as follows:
  - 1. Organic Matter Content: 50 to 60 percent of dry weight.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

2. Feedstock: Agricultural, food, or industrial residuals; biosolids; yard trimmings; or source-separated or compostable mixed solid waste.

2.6 WEED-CONTROL BARRIERS

- A. Nonwoven Geotextile Filter Fabric: Polypropylene or polyester fabric, **3 oz./sq. yd.** (101g/sq. m) minimum, composed of fibers formed into a stable network so that fibers retain their relative position. Fabric shall be inert to biological degradation and resist naturally-encountered chemicals, alkalis, and acids.
- B. Composite Fabric: Woven, needle-punched polypropylene substrate bonded to a nonwoven polypropylene fabric, **4.8 oz./sq. yd.** (162 g/sq. m).

2.7 PESTICIDES

- A. General: Pesticide registered and approved by EPA, acceptable to authorities having jurisdiction, and of type recommended by manufacturer for each specific problem and as required for Project conditions and application. Do not use restricted pesticides unless authorized in writing by authorities having jurisdiction.
- B. Pre-Emergent Herbicide (Selective and Non-Selective): Effective for controlling the germination or growth of weeds within planted areas at the soil level directly below the mulch layer.
- C. Post-Emergent Herbicide (Selective and Non-Selective): Effective for controlling weed growth that has already germinated.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Examine areas to receive plants for compliance with requirements and conditions affecting installation and performance.
  1. Verify that no foreign or deleterious material or liquid such as paint, paint washout, concrete slurry, concrete layers or chunks, cement, plaster, oils, gasoline, diesel fuel, paint thinner, turpentine, tar, roofing compound, or acid has been deposited in soil within a planting area.
  2. Do not mix or place soils and soil amendments in frozen, wet, or muddy conditions.
  3. Suspend soil spreading, grading, and tilling operations during periods of excessive soil moisture until the moisture content reaches acceptable levels to attain the required results.
  4. Uniformly moisten excessively dry soil that is not workable and which is too dusty.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

- C. If contamination by foreign or deleterious material or liquid is present in soil within a planting area, remove the soil and contamination as directed by Architect and replace with new planting soil.

3.2 PREPARATION

- A. Protect structures, utilities, sidewalks, pavements, and other facilities and turf areas and existing plants from damage caused by planting operations.
- B. Install erosion-control measures to prevent erosion or displacement of soils and discharge of soil-bearing water runoff or airborne dust to adjacent properties and walkways.
- C. Lay out individual tree and shrub locations and areas for multiple plantings. Stake locations, outline areas, adjust locations when requested, and obtain Architect's acceptance of layout before excavating or planting. Make minor adjustments as required.
- D. Lay out plants at locations directed by Architect. Stake locations of individual trees and shrubs and outline areas for multiple plantings.
- E. Wrap trees and shrubs with burlap fabric over trunks, branches, stems, twigs, and foliage to protect from wind and other damage during digging, handling, and transportation.
- F. Where possible, orient the tree in the same direction as in its original location.

3.3 TREE, SHRUB, AND VINE PRUNING

- A. Remove only dead, dying, or broken branches. Do not prune for shape.
- B. Prune, thin, and shape trees, shrubs, and vines as directed by Architect.
- C. Prune, thin, and shape trees, shrubs, and vines according to standard professional horticultural and arboricultural practices. Unless otherwise indicated by Architect, do not cut tree leaders; remove only injured, dying, or dead branches from trees and shrubs; and prune to retain natural character.
- D. Do not apply pruning paint to wounds.

3.4 TREE STABILIZATION

- A. Staking and Guying: Stake and guy trees more than **14 feet** (4.2 m) in height and more than **3 inches** (75 mm) in caliper unless otherwise indicated. Securely attach no fewer than three guys to stakes **30 inches** (760 mm) long, driven to grade.
- B. Root-Ball Stabilization: Install at- or below-grade stabilization system to secure each new planting by the root ball unless otherwise indicated.
  - 1. Wood Hold-Down Method: Place vertical stakes against side of root ball and drive them into subsoil; place horizontal wood hold-down stake across top of root ball and screw at each end to one of the vertical stakes.

FAIRVIEW PARK PARKING EXPANSION  
HILLSBOROUGH, NORTH CAROLINA

2. Proprietary Root-Ball Stabilization Device: Install root-ball stabilization system sized and positioned as recommended by manufacturer unless otherwise indicated and according to manufacturer's written instructions.
- C. Palm Bracing: Install bracing system at three or more places equally spaced around perimeter of trunk to secure each palm until established unless otherwise indicated.
1. Site-Fabricated Palm-Bracing Method:
    - a. Place battens over padding and secure battens in place around trunk perimeter with at least two straps, tightened to prevent displacement. Ensure that straps do not contact trunk.
    - b. Place diagonal braces and cut to length. Secure upper ends of diagonal braces with galvanized nails into battens or into nail-attached blocks on battens. Do not drive nails, screws, or other securing devices into palm trunk; do not penetrate palm trunk in any fashion. Secure lower ends of diagonal braces with stakes driven into ground to prevent outward slippage of braces.
  2. Proprietary Palm-Bracing Device: Install palm-bracing system sized and positioned as recommended by manufacturer unless otherwise indicated and according to manufacturer's written instructions.

3.5 CLEANUP AND PROTECTION

- A. During planting, keep adjacent paving and construction clean and work area in an orderly condition.
- B. Protect plants from damage due to landscape operations and operations of other contractors and trades. Maintain protection during installation and maintenance periods. Treat, repair, or replace damaged plantings.

3.6 DISPOSAL

- A. Remove surplus soil and waste material including excess subsoil, unsuitable soil, trash, and debris and legally dispose of them off Owner's property.

END OF SECTION 02930

STORM DRAINAGE SCHEDULE											
Fairview Park											
STRUCTURES											
STRUCTURE NUMBER	RIM ELEV	INVERT IN	INVERT OUT	DETAIL	TYPE	FROM	TO	SIZE	TYPE	LENGTH (feet)	SLOPE(%)
1	656.50	-	652.40		YI	1	2	24	RCP	28	2.0%
2	656.75	651.84	651.64	9/C5.0	DI	2	3	24	RCP	26	2.0%
3	656.75	651.12	650.92	10/C5.0	CI	3	4	24	RCP	110	2.0%
4	650.85	648.72	647.20	10/C5.0	CI	5	4	24	RCP	24	2.1%
5	653.05	646.70	646.50	10/C5.0	CI	4	6	24	RCP	52	6.7%
6	-	643.01	643.00	3/C5.0	FES						
7	646.50	-	644.00	10/C5.0	CI	7	8	15	RCP	26	1.0%
8	646.50	643.75	643.55	10/C5.0	CI	8	9	15	RCP	22	2.5%
9	-	643.01	643.00	3/C5.0	FES						
10	643.50	-	637.50	10/C5.0	DI	10	11	15	RCP	70	0.8%
11	-	636.99	636.95	3/C5.0	FES						

PREBID MEETING AGENDA:

- A. Procurement and Contracting Requirements: Bids are due on June 2, 2016 at 4:00 pm at the basement of the Orange county Government West campus Building in downtown Hillsborough, NC. Forms and Affidavits are required with your bid. These are highlighted in the contract specifications. This is an informal bid and so no requirement for three bidders.
1. Advertisement for Bids.
  2. Instructions to Bidders.
  3. Bidder Qualifications.
  4. Bonding.
  5. Insurance.
  6. Bid Security.
  7. Bid Form and Attachments.
  8. Bid Submittal Requirements.
  9. Bid Submittal Checklist.
  10. Notice of Award.
- B. Communication during Bidding Period: All questions and general correspondence during the bidding process must be sent through Mike Hammersley via his email at [mhammer@cra-ae.com](mailto:mhammer@cra-ae.com). Please send all RFI's by May 27<sup>th</sup> so they can be reviewed and answered if necessary by Addendum.
1. Obtaining documents.
  2. Access to Project Web site.
  3. Bidder's Requests for Information.
  4. Bidder's Substitution Request/Prior Approval Request.
  5. Addenda.
- C. Contracting Requirements:
1. Agreement.
  2. The General Conditions.
  3. The Supplementary Conditions.
  4. Other Owner requirements.
- D. Construction Documents: The project scope was generally discussed as a 400' asphalt access drive with 60 parking spaces. All temporary facilities are the contractor's responsibility. All access to the site shall be via Public Works Drive which is accessed from NC86. There is an add alternate per sheet L1.0A for additional landscaping. Allowances are required as a part of the base bid, these are based on the unit prices noted on the proposal. They include removal and replacement of unsuitable soils and rock. Summit Engineering will provide the construction testing services. A suggestion was made to revise the removable bollard detail to make it more user friendly. The designer will review and note if any changes are made.
1. Scopes of Work.
  2. Temporary Facilities.
  3. Use of Site.
  4. Work Restrictions.
  5. Alternates, Allowances, and Unit Prices.
  6. Substitutions following award.

Fairview Park Parking Expansion  
Hillsborough, NC

- E. Separate Contracts: Duke Energy will be installing the site lighting for the project and so there will be coordination required during the construction. There is an allowance in the base bid for conduit installation for Duke Power.
1. Work by Owner.
  2. Work of Other Contracts.
- F. Schedule: Anticipated start date is July 31, 2016. The contract time is 120 days from the Notice to Proceed. Liquidated damages for this contract are \$100/day beginning on the 121<sup>st</sup> day and continuing to project completion.
1. Project Schedule.
  2. Contract Time.
  3. Liquidated Damages.
  4. Other Bidder Questions.
- G. Post-Meeting Addendum. Addendum will be issues to all plan holders as well as David Cannell will post them to the plan advertisement websites.

